





Tipo	Periódico
Título	Refining the antisocial subscale of the dimensional clinical personality inventory 2: Failed improvements or did we reach the mountain top
Autores	de Francisco Carvalho, Lucas;Grillo Santos, Camila;Fernandes Junior, Nelson;Moreton Alves da Rocha, Rafael;Meireles Flores, Talita;Magarotto Machado, Gisele;
Autor(es) USF	de Francisco Carvalho, Lucas
Autores Internacionais	
Programa Curso(s)	Programa de Pós Graduação Stricto Sensu em Psicologia
DOI	10.1080/15305058.2022.2147938
Assunto (palavras chaves)	Cluster Bexternalizing disordersempathypathological traits
Idioma	Inglês
Fonte	Título do periódico: International Journal of Testing ISSN: : 1530-5058 Volume/Número/Paginação/A no: 23 77-96 2023
Data da publicação	19-12-2022
Formato da Produção	Impresso
Resumo	We aimed to refine the previously proposed antisocial subscale for the



Dimensional Clinical Personality Inventory 2 (IDCP-ASPD). The sample involved 628 Brazilian adults between 18 and 81 years old. We administered the revised ASPD subscale (IDCP-ASPD-R), the Affective and Cognitive Measure of Empathy (ACME), the Crime and Analogous Behavior Scale (CAB), and the Levenson Self-Report Psychopathy (LSRP). We confirmed the 3-factors structure for the IDCP-ASPD-R. The IDCP-ASPD-R and its former version presented a good capacity to distinguish the groups, with the largest effect size for the Affective factor (IDCP-ASPD-R). Although the IDCP-ASPD-R has shown good performance, we have observed only a slight increase over the previous version of the scale. Therefore, we can only expect a small higher contribution of IDCP-ASPD-R in its practical application to group discrimination.



However, from a theoretical perspective, the IDCP-ASPD-R overrides its former version.

Fomento
